Value-adding features

Organised in every last detail – Edition 2026



schüller.



04 OrganiQ

Versatile drawer fittings made from sustainable materials.

12 Drawer/pull-out

Perfect inserts and solutions – for both drawers and pull-outs.

26 Country Style

Fittings that add value to match your Country Style kitchen.

28 Flex-Boxes

Create tidiness flexibly with the practical Flex-Boxes in natural oak.

34 Panel system

The recess is perfectly organised with the variety of accessories offered by the panel system.

42 Orga Wall

Smart accessories offer outstanding versatility for individual design.

46 Frame Rack

Practical furnishing options ensure a tidy and uncluttered workspace.

48 Panel shelves

Create storage space and bring interesting design touches into the kitchen or living room.

54 Technology


Atmospheric lighting with the timelessly elegant pendant luminaire.

56 More than kitchen


When the kitchen merges with the living room.

OrganiQ Drawer equipment









Aesthetics, arrangement and environment come together in our OrganiQ lava black interior fittings: perfectly matching elements such as cutlery trays and functional inserts provide the ideal solution for storing porcelain, cooking utensils and food items like spice jars. Natural fibres (mainly hemp and kenaf) make up 76 % of these flexible inserts, making them particularly resource-efficient, durable and environmentally friendly.


Carcase depth 46 cm	Description	Width cm	Items
28,2 42,7	Cutlery insert OrganiQ lava black carcase: d. 46 cm partially space for 1 accessory item	28,2 42,7	Z B 28 46 IQ Z B 43 46 IQ
15	U-tray insert OrganiQ lava black carcase: d. 46 cm LxWxH: 37,2x15x4,3 cm Planning: Suitable for drawers from carcase width 30 cm. The insert for kitchen rolls ZFRE1446IQ, the knife block insert ZMBE1446IQ and the T-partition ZTE1446IQ can be positioned into the U-tray insert.	15	Z USE 15 46 IQ
29,4	Double U-tray insert OrganiQ lava black carcase: d. 46 cm LxWxH: 37,2x29,4x4,3 cm Planning: Suitable for drawers from carcase width 40 cm. The insert for kitchen rolls ZFRE1446IQ, the knife block insert ZMBE1446IQ and the T-partition ZTE1446IQ can be positioned into the U-tray insert.	29,4	Z USE 29 46 IQ
13,7	T-divider OrganiQ lava black carcase: d. 46 cm LxWxH: 37,2x13,7x3,8 cm Planning: Must be placed into the U-tray insert, the doubled U-tray insert or the cutlery insert ZB4346IQ.	13,7	Z TE 14 46 IQ
13,7	Insert for kitchen rolls OrganiQ lava black carcase: d. 46 cm LxWxH: 37,2x13,7x5,2 cm for 2 rolls with aluminium cover, Dark Grey anodised Planung: Muss in den U-Schaleneinsatz, den doppelten U-Schaleneinsatz oder den Besteckeinsatz ZB4346IQ eingesetzt werden.	13,7	Z FRE 14 46 IQ
13,7	Knife block insert OrganiQ lava black carcase: d. 46 cm LxWxH: 37,2x13,7x2,6 cm without knives Planning: Must be placed into the U-tray insert, the doubled U-tray insert or the cutlery insert ZB4346IQ.	13,7	Z MBE 14 46 IQ
15 00 00 00 00 00 00	Partition for 12 spice containers, ø 5 cm OrganiQ lava black carcase: d. 46 cm LxWxH: 37,2x15x4,3 cm 16 spice containers included without spices with labels for spice containers	15	Z GD 15 46 IQ
11,4	Set of china storage bowls height 6 cm, 3 pieces carcase: d. 46 cm LxWxH: 37,2x11,4x6 cm 3 small bowls 1 support frame, OrganiQ lava black	11,4	ZV 11 6 46 IQ

Carcase depth 46 cm	Description	Width cm	Items
15 6,1	Cutlery insert OrganiQ lava black carcase: d. 46 cm 1 U-tray insert Planning: Anti-slip mat must be ordered separately.	30	ZB 30 46 IQ
28,2 2,9 28,2 7,9 28,2 12,9 42,7 8,4	Cutlery insert OrganiQ lava black carcase: d. 46 cm 1 cutlery insert Planning: Anti-slip mat must be ordered separately.	40 45 50 60	ZB 40 46 IQ ZB 45 46 IQ ZB 50 46 IQ ZB 60 46 IQ
40 45 50 60 15 42,7 13,4 13,7 13,7 80	Cutlery insert OrganiQ lava black carcase: d. 46 cm 1 cutlery insert 1 U-tray insert Planning: Anti-slip mat must be ordered separately.	80	ZB 80 46 IQ
29,4 42,7 9 29,4 42,7 19 13,7 13,7 13,7 13,7 100	Cutlery insert OrganiQ lava blackz carcase: d. 46 cm 1 cutlery insert 1 double U-tray insert Planning: Anti-slip mat must be ordered separately.	90 100	ZB 90 46 IQ ZB 90 46 IQ
29,4 15 42,7 24 13,7 13,7 13,7 13,7	Cutlery insert OrganiQ lava black carcase: d. 46 cm 1 cutlery insert 1 U-tray insert 1 double U-tray insert Planning: Anti-slip mat must be ordered separately.	120	ZB 120 46 IQ


Carcase depth 56 cm	Description	Width	cm Items
28,2 42,7	Cutlery insert OrganiQ lava black carcase: d. 56 cm partially space for 1 accessory item		Z B 28 56 IQ Z B 43 56 IQ
15	U-tray insert OrganiQ lava black carcase: d. 56 cm LxWxH: 47,2x15x4,3 cm Planning: Suitable for drawers from carcase width 30 cm. The insert for kitchen rolls ZFRE1456lQ, the knife block insert ZMBE1456lQ and the cross divider ZKE1456lQ can be positioned into the U-tray insert.	*	15 Z USE 15 56 IQ
29,4	Double U-tray insert OrganiQ lava black carcase: d. 56 cm LxWxH: 47,2x29,4x4,3 cm Planning: Suitable for drawers from carcase width 40 cm. The insert for kitchen rolls ZFRE1456IQ, the knife block insert ZMBE1456IQ and the cross divider ZKE1456IQ can be positioned into the U-tray insert.	2	9,4 Z USE 29 56 IQ
13,7	Cross divider OrganiQ lava black carcase: d. 56 cm LxWxH: 47,2x13,7x3,8 cm Planning: Must be placed into the U-tray insert, the doubled U-tray insert or the cutlery insert ZB4356IQ	1	3,7 Z KE 14 56 IQ
13,7	Insert for kitchen rolls OrganiQ lava black carcase: d. 56 cm LxWxH: 47,2x13,7x5,2 cm for 2 rolls with aluminium cover, Dark Grey anodised Planning: Must be placed into the U-tray insert, the doubled U-tray insert or the cutlery insert ZB4356IQ.	1	3,7 Z FRE 14 56 IQ
13,7	Knife block insert OrganiQ lava black carcase: d. 56 cm LxWxH: 47,2x13,7x2,6 cm without knives Planning: Must be placed into the U-tray insert, the doubled U-tray insert or the cutlery insert ZB4356IQ.	1	3,7 Z MBE 14 56 IQ
15 00 00 00 00 00 00	Partition with 16 spice containers, ø 5 cm OrganiQ lava black carcase: d. 56 cm LxWxH: 47,2x15x4,3 cm without spices with labels for spice containers		15 Z GD 15 56 IQ
11,4	Set of china storage bowls height 6 cm, 4 pieces carcase: d. 56 cm LxWxH: 47,2x11,4x6 cm 4 small bowls 1 support frame, OrganiQ lava blackarz	1	1,4 ZV 11 6 56 IQ

Carcase depth 56 cm	Description	Width cm	Items
15 6,1	Cutlery insert OrganiQ lava black carcase: d. 56 cm 1 U-tray insert Planning: Anti-slip mat must be ordered separately.	30	ZB 30 56 IQ
28,2 2,9 28,2 7,9 28,2 12,9 42,7 8,4	Cutlery insert OrganiQ lava black carcase: d. 56 cm 1 cutlery insert Planning: Anti-slip mat must be ordered separately.	40 45 50 60	
40 45 50 60			
15 42,7 13,4	Cutlery insert OrganiQ lava black carcase: d. 56 cm 1 cutlery insert 1 U-tray insert Planning: Anti-slip mat must be ordered separately.	80	ZB 80 56 IQ
13,7 13,7			
	Cutlery insert OrganiQ lava black carcase: d. 56 cm 1 cutlery insert 1 double U-tray insert Planning: Anti-slip mat must be ordered separately.	90	ZB 90 56 IQ ZB 100 56 IQ
29,4 42,7 9 29,4 42,7 19 13,7 13,7 13,7 13,7 13,7 100 90 100			
	Cutlery insert OrganiQ lava black carcase: d. 56 cm 1 cutlery insert 1 U-tray insert 1 double U-tray insert Planning: Anti-slip mat must be ordered separately.	120	ZB 120 56 IQ
29,4 15 42,7 24 13,7 13,7 13,7 13,7 120			

Carcase depth 56 cm	Description		Width cm	Items
15 42,7 13,4 80	Functional insert for drawer OrganiQ lava black carcase: d. 56 cm 1 cutlery insert 1 insert for kitchen rolls 1 U-tray insert 1 knife block insert Planning: Functional insert contents: ZB4356IQ, ZFRE1456IQ, ZUSE1556IQ, ZMBE1456IQ. Anti-slip mat must be ordered separately.	\	80	ZFU 80 56 IQ1
29,4 42,7 9 29,4 42,7 19 90 100	Functional insert for drawer OrganiQ lava black carcase: d. 56 cm 1 cutlery insert 1 cross divider 1 double U-tray insert 1 insert for kitchen rolls 1 knife block insert Planning: Functional insert contents: ZB4356IQ, ZKE1456IQ, ZUSE2956IQ, ZFRE1456IQ, ZMBE1456IQ. Anti-slip mat must be ordered separately.		90 100	ZFU 90 56 IQ1 ZFU 100 56 IQ1
29,4 15 42,7 24	Functional insert for drawer OrganiQ lava black carcase: d. 56 cm 1 cutlery insert 1 cross divider 1 partition with 16 spice containers, ø 5 cm 1 double U-tray insert 1 insert for kitchen rolls 1 knife block insert Planning: Functional insert contents: ZB4356IQ, ZKE1456IQ, ZGD1556IQ, ZUSE2956IQ, ZFRE1456IQ, ZMBE1456IQ. Anti-slip mat must be ordered separately.	₩	120	ZFU 120 56 IQ1
15 42,7 13,4 000 000 000 000 000 000 000 0	Functional insert for drawer OrganiQ lava black carcase: d. 56 cm 1 cutlery insert 1 knife block insert 1 partition with 16 spice containers, ø 5 cm Planning: Functional insert contents: ZB4356IQ, ZMBE1456IQ, ZGD1556IQ. Anti-slip mat must be ordered separately.	\tilde{\psi}	80	ZFU 80 56 IQ2
11,4 15 42,7 12 11,4 15 42,7 22 90 100	Functional insert for drawer OrganiQ lava black carcase: d. 56 cm 1 cutlery insert 1 knife block insert 1 partition with 16 spice containers, ø 5 cm 1 set of china storage bowls Planning: Functional insert contents: ZB4356IQ, ZMBE1456IQ, ZGD1556IQ, ZV11656IQ. Anti-slip mat must be ordered separately.	-\$\frac{1}{2}	90 100	ZFU 90 56 IQ2 ZFU 100 56 IQ2



VALUE-ADDING FEATURES Drawer equipment



Drawer/pull-out equipment











Exceptional elements for organising drawer and cabinet interiors make the perfect kitchen: depending on individual requirements, the room becomes a professional cooking station thanks to various cutlery or functional inserts, such as for knives or spices. We also offer a solution for specific storage needs in the lower pull-outs: the inserts in elegant natural oak can be flexibly adapted to china, cooking utensils or provisions – ensuring that all kitchen tools are perfectly organised.

Cutlery insert		
Carcase depth 46 / 56 cm Description	Width cm	Items
Cutlery insert for low drawer frame	60	Z B N 60 46 CG
carcase: d. 46 cm	80	Z B N 80 46 CG
laminate carbon grey	90	Z B N 90 46 CG Z B N 100 46 CG
	120	Z B N 120 46 CG
60		
71,1 81,1 91,1 111,1		
80 90 100 120		
Cutlery insert	30	Z B N 30 56 CG
for low drawer frame carcase: d. 56 cm	40	Z B N 40 56 CG
laminate carbon grey	45	Z B N 45 56 CG
21,1 31,1 36,1 41,1 51,1	50	Z B N 50 56 CG Z B N 60 56 CG
	80	Z B N 60 56 CG Z B N 80 56 CG
	90	Z B N 90 56 CG
30 40 45 50 60	100	Z B N 100 56 CG
71,1 81,1 91,1 111,1	120	Z B N 120 56 CG
80 90 100 120		
		7.00.40.00
Cutlery insert carcase: d. 46 cm	30 40	Z B 30 46 CG Z B 40 46 CG
laminate carbon grey	45	Z B 45 46 CG
21,1 31,1 36,1 41,1 51,1	50	Z B 50 46 CG
	60	Z B 60 46 CG Z B 80 46 CG
	90	Z B 90 46 CG
30 40 45 50 60	100	Z B 100 46 CG
71,1 81,1 91,1		
80 90 100		
Cutlery insert carcase: d. 56 cm	30	Z B 30 56 CG
carcase: d. 56 cm laminate carbon grey	40	Z B 40 56 CG Z B 45 56 CG
21,1 31,1 36,1 41,1 51,1	45 50	Z B 45 56 CG Z B 50 56 CG
	60	Z B 60 56 CG
	80	Z B 80 56 CG Z B 90 56 CG
	100	Z B 100 56 CG
30 40 45 50 60 71,1 81,1 91,1 111,1	120	Z B 120 56 CG
5,,1		
80 90 100 120		

Cutlery insert Carcase depth 56 / 66 cm	Description	Width cm	Items
	Cutlery insert carcase: d. 66 cm laminate carbon grey	30 40 45	Z B 30 66 CG Z B 40 66 CG Z B 45 66 CG
21,1 31,1 30 40 71,1 81,1	36,1 41,1 51,1 45, 50 60 91,1	50 60 80 90 100	Z B 50 66 CG Z B 60 66 CG Z B 80 66 CG Z B 90 66 CG Z B 100 66 CG
80 90	100		
TATALISMA TATALISMA TATALISMA	Spice container insert without spice containers carcase: d. 56 cm laminate carbon grey for spice containers max. length 15,4 cm	45 50 60	Z GD 45 56 CG Z GD 50 56 CG Z GD 60 56 CG
$ \begin{array}{c ccccccccccccccccccccccccccccccccccc$			
	Varia-Orgaset T laminate translucent smoke grey carcase: d. 56 cm tray inserts with crosswise dividers	30 40 45	Z B 30 56 TR Z B 40 56 TR Z B 45 56 TR
21,3 31,3 36,3 30 40 45			
41,3	Varia-Orgaset T laminate translucent smoke grey carcase: d. 56 cm tray inserts with crosswise dividers and knife holder	50 60 80 90 100 120	Z B 50 56 TR Z B 60 56 TR Z B 80 56 TR Z B 90 56 TR Z B 100 56 TR Z B 120 56 TR
71,3 81,3 80 90	91,3 111,3		

Partition frame for drawer can be used vertically carcase. 4. 56 cm With Dr. 100 S and Dr. 100 With Dr. 100 S are to me with the partition wall, laminate carbon grey Planning. For individual planning of drawer partitioning. Partition frame for drawer can be used vertically carcase. 4. 56 cm With Dr. 20x5 x47.2 cm metal frame, carbon grey Planning. For individual planning of drawer partitioning. All-purpose electrical slicer for drawer, silver-coloured mounting on site, into standard drawer measure: With With St. 20x5 x47.2 cm metal frame, carbon grey Planning. For individual planning of drawer measure: With St. 23x, 2x7,5x37 cm O.75 m mains connection cable, Euro flat plug Planning. For CIC2/C5 with cabinets in widths of 45, 50 and 60 cm. Worktops in 1.6 cm thickness cannot be used on units in 60 cm width, installation only possible with carcase depth 56 cm. When installed at a later date, the front crossbar must be removed. Bread sliced from left right = hinged on L/R Not available for UK. All-purpose electrical slicer for drawer, silver-coloured mounting on site, into standard drawer measure: With St. 39x x 5x 37 cm O.75 m mains connection cable, Euro flat plug Planning. For XI/X2/X5 with cabinets in widths of 50 and 60 cm. Can only be fitted in conjunction with worktops in a thickness of up to 4 cm and 56 cm cannot by the fitted in conjunction with worktops in a thickness of up to 4 cm and 56 cm cannot by the fitted in conjunction with worktops in a thickness of up to 4 cm and 56 cm cannot by the fitted in conjunction with worktops in a thickness of up to 4 cm and 56 cm cannot by the fitted in conjunction with worktops in a thickness of up to 4 cm and 56 cm cannot by the fitted in conjunction with worktops in a thickness of up to 4 cm and 56 cm cannot by the fitted in conjunction with worktops in a thickness of up to 4 cm and 56 cm cannot by the fitted in conjunction with worktops in a thickness of up to 4 cm and 56 cm cannot by the fitted in conjunction with worktops in a thickness of up to 4 cm and 56	Carcase depth 56 / 66 cm	Description		Width cm	Items
Carcase: d. 56 cm Wx Hx): 20x5x47,2 cm metal frame, carbon grey 1 adjustable partition wall, laminate carbon grey Planning: For individual planning of drawer partitioning. All-purpose electrical slicer for drawer, silver-coloured mounting on site, into standard drawer measure: Wx Hx): 34,2x7,5x37 cm 0,75 m mains connection cable, Euro flat plug Planning: For C1/C2/C5 with cabinets in widths of 45, 50 and 60 cm. Worktops in 1,6 cm thickness cannot be used on units in 60 cm width. Installation only possible with carcase depth 56 cm. When installed at a later date, the front crossbar must be removed. Bread sliced from left/right = hinged on L/R Not available for UK. All-purpose electrical slicer for drawer, silver-coloured mounting on site, into standard drawer measure: Wx HxD: 39x7,5x37 cm 0,75 m mains connection cable, Euro flat plug Planning: For X1/X2/X5 with cabinets in widths of 50 and 60 cm. Can only be fitted in conjunction with worktops in a thickness of up to 4 cm and 56 cm carcase depth. Bread sliced from left/right = hinged on L/R		Partition frame for drawer can be used vertically carcase: d. 56 cm WxHxD: 10x5x47,2 cm metal frame, carbon grey 1 adjustable partition wall, laminate carbon grey Planning: For individual planning of drawer			
mounting on site, into standard drawer measure: Wx HxD: 34,2x7,5x37 cm 0,75 m mains connection cable, Euro flat plug Planning: For C1/C2/C5 with cabinets in widths of 45,50 and 60 cm. Worktops in 1,6 cm thickness cannot be used on units in 60 cm width. Installation only possible with carcase depth 56 cm. When installed at a later date, the front crossbar must be removed. Bread sliced from left/right = hinged on L/R Not available for UK. All-purpose electrical slicer for drawer, silver-coloured mounting on site, into standard drawer measure: Wx HxD: 39x7,5x37 cm 0,75 m mains connection cable, Euro flat plug Planning: For X1/X2/X5 with cabinets in widths of 50 and 60 cm. Can only be fitted in conjunction with worktops in a thickness of up to 4 cm and 56 cm acrases depth. Bread sliced from left/right = hinged on L/R	20	can be used vertically carcase: d. 56 cm WxHxD: 20x5x47,2 cm metal frame, carbon grey 1 adjustable partition wall, laminate carbon grey Planning: For individual planning of drawer		20	Z URS 20 CG
mounting on site, into standard drawer measure: WxHxD: 39x7,5x37 cm 0,75 m mains connection cable, Euro flat plug Planning: For X1/X2/X5 with cabinets in widths of 50 and 60 cm. Can only be fitted in conjunction with worktops in a thickness of up to 4 cm and 56 cm carcase depth. Bread sliced from left/right = hinged on L/R	Sketch = L	for drawer, silver-coloured mounting on site, into standard drawer measure: WxHxD: 34,2x7,5x37 cm 0,75 m mains connection cable, Euro flat plug Planning: For C1/C2/C5 with cabinets in widths of 45, 50 and 60 cm. Worktops in 1,6 cm thickness cannot be used on units in 60 cm width. Installation only possible with carcase depth 56 cm. When installed at a later date, the front crossbar must be removed. Bread sliced from left/right = hinged on L/R			Z SAE
	Sketch = L	for drawer, silver-coloured mounting on site, into standard drawer measure: WxHxD: 39x7,5x37 cm 0,75 m mains connection cable, Euro flat plug Planning: For X1/X2/X5 with cabinets in widths of 50 and 60 cm. Can only be fitted in conjunction with worktops in a thickness of up to 4 cm and 56 cm carcase depth. Bread sliced from left/right = hinged on L/R	\tag{\frac{1}{2}}		XZ SAE

Natural oak Carcase depth 56 cm	Description	Width cm	Items
11,4	Set of china storage bowls height 6 cm, 4 pieces carcase: d. 56 cm 4 small bowls with lids in natural oak 1 support frame, natural oak Planning: Also suitable for drawers.	11,4	Z V 11 6 EI
30 40	Cutlery insert, natural oak carcase: d. 56 cm Planning: For individual planning, the "Accessories – cutlery insert" (page 18) can be positioned on the fields bearing the numbers 10/15/20.	30 40 45 50 60 80 90 100 120	Z B 30 56 El1 Z B 40 56 El1 Z B 45 56 El1 Z B 50 56 El1 Z B 60 56 El1 Z B 80 56 El1 Z B 90 56 El1 Z B 100 56 El1 Z B 120 56 El1
50	90 100 120 B9056EI1 ZB10056EI1 ZB12056EI1 Functional insert for drawer natural oak carcase: d. 56 cm 1 cutlery insert 1 knife block insert	50 60	Z FU 50 56 El2 Z FU 60 56 El2
50 ZFU5056EI2 ZFU6056EI	Functional insert for drawer natural oak carcase: d. 56 cm 1 cutlery insert 1 knife block insert 1 insert for kitchen rolls spice containers, ø 5 cm	80 90 100 120	Z FU 80 56 EI2 Z FU 90 56 EI2 Z FU 100 56 EI2 Z FU 120 56 EI2
71,1 81,1 81,1 81,1 81,1 81,1 81,1 81,1	91,1 111,1 00 00 110,0 00 120 110056EI2 ZFU12056EI2		
	Functional insert for drawer natural oak carcase: d. 56 cm 1 cutlery insert 2 trivets for pans 1 chopping board, maple 1 knife block insert 1 insert for kitchen rolls	100 120	Z FU 100 56 EI3 Z FU 120 56 EI3
91,1 111,1 111,1 111,1 1100 2100 2FU10056EI3 2FU12056EI3			

Natural oak			
Carcase depth 56 cm	Description	Width cm	Items
36,1 41,1 36 36 36 36 36 36 36 36 36 36 36 36 36	Functional insert for drawer natural oak carcase: d. 56 cm 1 cutlery insert 16 spice containers, ø 5 cm	45 50	Z FU 45 56 EI1 Z FU 50 56 EI1
51,1 71,1 81,1	Functional insert for drawer natural oak carcase: d. 56 cm 1 cutlery insert 24 spice containers, ø 5 cm Planning: For individual planning, the "Accessories – cutlery insert" (page 18) can be positioned on the fields bearing the numbers 10/15/20.	60 80 90	Z FU 60 56 EI1 Z FU 80 56 EI1 Z FU 90 56 EI1
10 15 000 10 15			
	Functional insert for drawer natural oak carcase: d. 56 cm 1 cutlery insert 24 spice containers, Ø 5 cm Planning: For individual planning, the "Accessories – cutlery insert" (page 18) can be positioned on the fields bearing the numbers 10/15/20.	100	Z FU 100 56 EI1 Z FU 120 56 EI1
91,1 111,1 20 20 15 15 20 20 15 15 20 20 20 20 20 20 20 20 20 20 20 20 20			
41,1 15 15 15 15 15 15 15 15 25K5056EI1 25K6056EI1	Insert for cutlery and cooking utensil, natural oak carcase: d. 56 cm Planning: For individual planning, the "Accessories – cutlery insert" (page 18) can be positioned on the fields bearing the numbers 10/15/20.	50 60	Z BK 50 56 EI1 Z BK 60 56 EI1
16,4	U-tray insert natural oak, width 16,4 cm carcase: d. 56 cm LxWxH: 47,2x16,4x5,3 cm Planning: Suitable for drawers from carcase width 30 cm. The spice container insert ZGD15CG, the insert for kitchen rolls ZFRE15EI and the knife block insert ZMBE15EI can be positioned in the U-tray insert.	16,4	Z USE 15 EI
	Bottle rack, natural oak for 30 cm wide pull-out larder base unit rack for 3 bottles, ø 6-8,8 cm, max. length 37,5 cm Planning: Only suitable for 30 cm carcase width. The rack can also be fitted in the top internal drawer of the pull-out larder base units.	30	Z FA 3 EI

Natural oak Carcase depth 66 cm	Description		Width cm	ltems
21,1 31,1 36,1 30 40 45 ZB3010El1 ZB4010El1 ZB4510El 51,1 71,1 81,1 60 80 90 ZB6010El1 ZB8010El1 ZB9010El1	Depth adjustment cutlery insert natural oak, depth 10 cm for carcase depth 66 cm		30 40 45 50 60 80 90	Z B 30 10 EI1 Z B 40 10 EI1 Z B 45 10 EI1 Z B 50 10 EI1 Z B 60 10 EI1 Z B 80 10 EI1 Z B 90 10 EI1 Z B 90 10 EI1
Accessories – cutlery insert Carcase depth 56 cm	Description		Width cm	Items
10 000 000 000 000 000 000 000 000 000	16 spice containers, ø 5 cm carbon grey, width 10 cm carcase: d. 56 cm without spices with labels for spice containers with spice container insert Planning: Is positioned on a free field (10).	*	10	Z GD 10 CG
15 © 00 000 000 000 000 000	24 spice containers, ø 5 cm carbon grey, width 15 cm carcase: d. 56 cm without spices with labels for spice containers with spice container insert Planning: Is positioned on a free field (15). Can also be combined with the U-tray insert.	\	15	Z GD 15 CG
20 20 3000 3000 3000 3000 3000 3000	32 spice containers, ø 5 cm carbon grey, width 20 cm carcase: d. 56 cm without spices with labels for spice containers with spice container insert Planning: Is positioned on a free field (20).	÷	20	Z GD 20 CG
15	Insert for kitchen rolls natural oak, width 15 cm carcase: d. 56 cm for 2 rolls with aluminium cover Planning: Is positioned on a free field (15). Can also be combined with the U-tray insert.	\	15	Z FRE 15 EI
15	Knife block insert natural oak, width 15 cm carcase: d. 56 cm without knives Planning: Is positioned on a free field (15). Can also be combined with the U-tray insert.	₩	15	Z MBE 15 EI
20	Trivet for pans and chopping board, maple, width 20 cm carcase: d. 56 cm 2 trivets for pans, stainless steel 1 chopping board, maple Planning: Is positioned on a free field (20).	÷	20	Z ARSB 20 AH

Pull-out equipment

Natural oak	-h 50 / 00 -m-				
71,1	51,1 51,1 51,1 60 ZLRS6056EI 81,1	Perforated baseboard with rods natural oak carcase: d. 56 cm 1 set of rods without plates Planning: Number of rods ZLRS6056EI = 8 pieces ZLRS8056EI = 12 pieces ZLRS9056EI = 12 pieces ZLRS10056EI = 16 pieces ZLRS10056EI = 16 pieces 31,1 111,1	☆	Width cm 60 80 90 100 120	Z LRS 60 56 EI Z LRS 80 56 EI Z LRS 90 56 EI Z LRS 100 56 EI Z LRS 120 56 EI
80 ZLRS8056EI	90 ZLRS9056EI	100 120 ZLRS10056EI ZLRS12056EI			
	51,1 : : : : : : : : : : : : : : : : : : :	Perforated baseboard with set of separation elements, natural oak carcase: d. 56 cm 1 perforated baseboard 2 long separation elements 4 short separation elements 1 drainer, stainless steel		60 80 90 100 120	Z LTS 60 56 EI Z LTS 80 56 EI Z LTS 90 56 EI Z LTS 100 56 EI Z LTS 120 56 EI
71,1 	81,1	91,1 111,1			
	51,1 	Perforated baseboard with rods natural oak carcase: d. 66 cm 1 set of rods without plates Planning: Number of rods ZLRS6066EI = 12 pieces ZLRS9066EI = 16 pieces ZLRS9066EI = 16 pieces		60 80 90 100	Z LRS 60 66 EI Z LRS 80 66 EI Z LRS 90 66 EI Z LRS 100 66 EI
71,1 71,1 80 7LRS8066EI	81,1 90 ZLRS9066EI	91,1 ZLRS10066EI = 20 pieces 100 ZLRS10066EI			
	51,1 	Perforated baseboard with set of separation elements, natural oak carcase: d. 66 cm 1 perforated baseboard 2 long separation elements 4 short separation elements 1 drainer, stainless steel		60 80 90 100	Z LTS 60 66 EI Z LTS 80 66 EI Z LTS 90 66 EI Z LTS 100 66 EI
71,1 	90 ZLTS9066EI	91,1 			

Pull-out equipment

Natural oak Carcase depth 56 / 66 cm	Description	Width cm	Items
11,4	Set of china storage bowls height 17,2 cm, 4 pieces carcase: d. 56 cm 4 large bowls with lids in natural oak 1 support frame, natural oak	11,4	Z V 11 17 EI
11,4	Set of china storage bowls height 12,5 cm, 4 pieces carcase: d. 56 cm 4 medium-sized bowls with lids in natural oak 1 support frame, natural oak	11,4	Z V 11 12 EI
56	Wooden tray oak, base with anti-slip coating, white LxWxH: 56x30x5,5 cm for hooking in 60 cm wide pull-outs	60	Z TAB 60 EI
	Drawer liner w. anti-slip mat, extension for pull-outs 1 metal liner, agate grey 1 anti-slip mat, laminate carbon grey height 5,0 cm, depth 20,4 cm Planning: Can be planned for pull-outs from front height of 32,1 cm, not possible for internal pull-outs.	60 80 90 100 120	Z ZA 60 AG Z ZA 80 AG Z ZA 90 AG Z ZA 100 AG Z ZA 120 AG
Carcase depth 35 / 46 / 56 / 66 cm	Description	Width cm	Items
	Crosswise divider set for pull-out carcase: d. 46/56/66 cm 4 crosswise dividers agate grey	30	Z QT 30 AG
	Cross + lengthwise divider set for pull-out carcase: d. 35/46/56/66 cm 2 crosswise dividers agate grey 4 lengthwise dividers agate grey Planning: For IZBKD56RE, IZBKD56GL, IZBKD56BC not possible.	40 45 50 60	Z QT 40 AG Z QT 45 AG Z QT 50 AG Z QT 60 AG
		1	Z QT 80 AG

Pull-out equipment

Carcase depth 46 / 56 / 66 cm	Description	Width cm	Items
	Lid holder, agate grey Planning: Installation on the frames of the pull-out. Distance to the front can be varied. Lids can be stacked behind one another, also possible for large pan lids with ø 30 cm. Can be planned for pull-outs from front height of 38,6 cm.	60 80 90 100 120	
22	Partition frame for pull-out can be used vertically and horizontally carcase: d. 46/56/66 cm WxHxD: 22x11x37 cm metal frame, carbon grey, magnetic on one side 1 adjustable partition wall, laminate carbon grey	22	Z URZ 22 CG
24	Partition frame for pull-out can be used vertically and horizontally carcase: d. 46/56/66 cm WxHxD: 24x11x27 cm metal frame, carbon grey, magnetic on one side 1 adjustable partition wall, laminate carbon grey	24	Z URZ 24 CG
	Pantry box for storing fruit and vegetables carcase: d. 56 cm plastic box, white in pull-out 60 cm for hooking in with sliding glass cover external measurement: HxWxD 23,2x56x49,1 cm internal measurement: HxWxD 20,5x50,7x46 cm 1 plastic grid, removable 1 plastic grid, removable 1 plastic insert with handle, removable WxHxD: 24,2x12x24,2 cm height with handle: 18,1 cm Planning: Can be planned for pull-outs from front height of 32,1 cm, not possible for internal pull-outs.	60	Z PB 60 56
	Plate rack set 2 plate racks anthracite coloured individually adjustable for plate diameter 18-32 cm L: 25-40 cm, W: 17 cm, H: 17 cm		Z TH
	Accessory set h. 21,2 cm for cooking utensils for 30 cm wide pull-out larder base unit 2 boxes 1 L, 2 boxes 2 L 2 lids to fit 1 L and 2 L boxes 1 box 2,1 L, 2 small dividers 1 anti-slip mat Planning: Box dimensions (HxWxD) box 1 L (9,5x11,5x15 cm) / box 2,1 L (9,5x11,5x30 cm) with lid, +1,7 cm in height.	30	Z AS KU

Drawer/pull-out equipment

Carcase depth 35 / 46 / 56 / 66 cm	Description	Width cm	ltems
Carcase depth 35 / 46 / 56 / 66 cm	Anti-slip mat for drawers and pull-outs for carcase depth 35 cm laminate carbon grey	21,1 31,1 36,1 41,1 51,1 71,1 81,1 91,1	Z EM 30 35 CG Z EM 40 35 CG Z EM 45 35 CG Z EM 50 35 CG Z EM 60 35 CG Z EM 80 35 CG Z EM 90 35 CG Z EM 100 35 CG Z EM 120 35 CG
	Anti-slip mat for internal/ drawers + internal/pull-outs for carcase depth 46 cm laminate carbon grey	21,1 31,1 36,1 41,1 51,1 71,1 81,1 91,1	Z EM 30 46 CG Z EM 40 46 CG Z EM 45 46 CG Z EM 50 46 CG Z EM 60 46 CG Z EM 80 46 CG Z EM 90 46 CG Z EM 100 46 CG Z EM 120 46 CG
	Anti-slip mat for internal/ drawers + internal/pull-outs for carcase depth 56 cm laminate carbon grey	21,1 31,1 36,1 41,1 51,1 71,1 81,1 91,1	Z EM 30 56 CG Z EM 40 56 CG Z EM 45 56 CG Z EM 50 56 CG Z EM 60 56 CG Z EM 80 56 CG Z EM 90 56 CG Z EM 100 56 CG Z EM 120 56 CG
	Anti-slip mat for internal/ drawers and pull-outs for carcase depth 66 cm laminate carbon grey	21,1 31,1 36,1 41,1 51,1 71,1 81,1 91,1	Z EM 30 66 CG Z EM 40 66 CG Z EM 45 66 CG Z EM 50 66 CG Z EM 60 66 CG Z EM 80 66 CG Z EM 90 66 CG Z EM 100 66 CG
	Anti-slip mat for int. drawers and internal pull-outs with spacer strip for carcase depth 56 cm laminate carbon grey	38,6 48,6	Z EM D 50 56 CG Z EM D 60 56 CG
	SpaceFlexx – vers. organisat. system for storage containers carcase: d. 56 cm WxHxD: 47,2x13x47,2 cm can be used in pull-out from 60 cm sturdy frame in anthracite/chrome with freely adjustable dividing bands made of flexible fabric in anthracite, nesttex Inside dividing bands washable at 30 degrees Planning: For pull-outs in carcase depth 56 cm and from 60 cm width.	60	Z SF 60 56

Accessories

	Description		Width cm	Items
	Metal moisture protect. shield for base unit for sink carcase: d. 56 cm light metal plate, at side and back with raised edge, angled down at front to cover bottom edge	- `	30 40 45 50 60	Z FB 40 Z FB 45 Z FB 50
	Metal moisture protect. shield for 2-door base unit for sink carcase: d. 56 cm Planning: Installation on site. No width and depth reduction possible on site.		80 90 100 120	Z FB 90 Z FB 100
60 60	Towel holder knob, round, retracting, 4 pcs knob ø 1,95 cm, h. 2 cm, laminate stainless steel col. knob projects by 0,7 cm when extended hook can be retracted by turning the knohole diameter ø 1,2 cm drilling depth at least 1,8 cm Planning: Installation on site.	bb		Z HH KV 4
	Towel rail 1 tube 2 supports 2 end caps Planning: Mounted on carcase sides, recess back panels. Tube can be shortened.	-\$	60 120	
	Towel holder, onyx black for door, pull- out, front support panel with grip ledge behind LxHxD: 50x3,3x6,5 cm 3,8 cm projection to the front clipping onto fronts in thickness of 19-22 mm Planning: Felt liner for evening out thickness, supplied loose, stick on before installation. Only suitable for X articles.			Z HTH 50 OS
	Portable bottle rack agate grey, for 8 bottles WxHxD: 20x31x41 cm Planning: For 30 cm wide pull-out.	÷\$-		Z FLK
	Baking sheet holder HxWxD: 12,5x14x36 cm 2 shaped wire parts, chrome-plated 3 tiers for storing baking sheets, for unit widths 50, 60 cm Planning: Installation on site. Installation in base units and tall units.			Z BH
	Spice rack for 12 spice cont. agate grey WxHxD: 20x43x6,5 cm without spice containers, for wall unit width 30/40 cm		20	Z GO 12

Accessories

	Description	Width cm	Items
	Spice rack for 24 spice cont. agate grey WxHxD: 38x43x6,5 cm without spice containers, for wall unit width 45/50/60 cm	38	Z GO 24
21,1	Cartridge rack for base unit for water treatment systems carcase: d. 56 cm WxHxD: 21,1x1,3x47,2 cm laminate carbon grey rack for 3 cartridges Planning: For UWSI, UWSS, XUWSI. Suitable for carcase width 30 cm and 60 cm. The shelf is positioned in the internal drawer/drawer.	38	Z KA 3 CG
	Hook rail with 4 hooks for carcase side for broom unit agate grey WxHxD: 32,7x4,2x3,1 cm 2 euro screws		Z HLB KS4
	Door shelf for larder unit agate grey external measurement: HxWxD 8,2x39,7x12,4 cm internal measurement: HxWxD 8x39,5x11 cm Planning: Carry load 5 kg per door shelf.		Z TA V
	Door shelf with wood railing onyx black railing in natural oak height 10,4 cm, depth 9,3 cm with anti-slip mat storage shelf: WxHxD: 34,4x10,2x8 cm Planning: Only suitable for multifunctional top unit fitted with door. Only fit one door shelf with railing per door. Maximum load 4 kg. Can otherwise only be mounted to fixed elements, such as carcase sides, support side panels, recess back panels.	34,8	Z TRH 35 EI OS
	Door shelf with wood railing onyx black railing in natural oak height 10,4 cm, depth 9,3 cm with anti-slip mat storage shelf: WxHxD: 44,4x10,2x8 cm	44,8	Z TRH 45 EI OS
	Door shelf with wood railing onyx black railing in natural oak height 10,4 cm, depth 9,3 cm with anti-slip mat storage shelf: WxHxD: 54,4x10,2x8 cm	54,8	Z TRH 55 EI OS



Country Style elements









The Country Style brings a natural and cosy feel to your kitchen. The matching details complete the overall impression: those who appreciate a natural, light, feel-good atmosphere would be well advised to choose a Country Style kitchen. Above all, the special details, such as the traditional plate shelf, the curved wall brackets or various shelf elements, convey the typical style of country chic. But the Country Style elements are not only visually eye-catching, more importantly, they ensure tidiness, sufficient storage space and clutter-free work surfaces.

Country Style elements

	Description		Width cm	Items
	Railing system graphite 1 railing, HxD: 2,5x2,4 cm 6 hooks, per WxHxD: 1,5x4,5x3,2 cm Planning: Two 0.8 cm dia. drill holes set apart at a distance of 88 cm must be provided for mounting RS90G to the wall. Three 0.8 cm dia. drill holes set apart at a distance of 59 cm must be provided for mounting RS120G to the wall.		90 120	RS 90 G RS 120 G
	Hook graphite 1 hook WxHxD: 1,5x4,5x3,2 cm Planning: For railing system graphite.	\\ \tag{\frac{1}{2}}	1,5	Z RS H G
	Holder for kitchen roll graphite WxHxD: 37,7x23,6x13,9 cm Planning: For railing system graphite.	\\ \tag{+}	37,7	Z RS HKR G
	Storage shelf for vinegar/oil graphite WxHxD: 30x22x13,9 cm Planning: For railing system graphite.	\tag{-1}	30	Z RS AEO G
	Open shelf unit for plates height 91 cm, depth 16,5 cm 3 fixed shelves 3 railings back panel with groove structure		60 90	TR 60 91 TR 90 91
teee	Open shelf element with hooks height 21 cm, depth 21 cm Planning: For mounting under support panel shelf with shelf supports ZSB2. Open shelf element does not bear any load.		50 80	REH 50 21 REH 80 21
	Open shelf element with railing height 21 cm, depth 21 cm Planning: For mounting under support panel shelf with shelf supports ZSB2. Open shelf element does not bear any load.		50 80	RES 50 21 RES 80 21

Flex-Boxes natural oak








The elegant outer appearance of the kitchen places special demands on its interior. A continued sense of order, even where the eye does not always wander, is made possible by a modern, innovative solution for storing and sorting: the Flex-Boxes. These practical boxes can be used in many different ways and tailored to fit the units. Stackable and movable, they accommodate even the smallest items. The interstices between the Flex-Boxes also provide space for pots and pans. Flex-Boxes are also welcome helpers for tidying and arranging items in the wall units or tall units.


Flex-Boxes | General

atural oak arcase depth 35 / 46 / 56 / 66 cm	Description	Width cm	Items
	Flex-Box 1, natural oak carcase: d. 56/66 cm LxWxH: 47,2x23,6x10,3 cm Planning: Suitable for pull-out units	-	FB 1
FB1	from carcase width 40 cm. Suitable for H.60VEHM. Stackable to FB1.		
	Flex-Box 2, natural oak carcase: d. 46/56/66 cm LxWxH: 33,6x23,6x10,3 cm		FB 2
FB2	Planning: Suitable for pull-out units from carcase width 40 cm. Suitable for H.40BAHM, H.40VEHM, H.50VEHM. Stackable to FB1 and FB2.		
	Flex-Box 3, natural oak carcase: d. 35/46/56/66 cm LxWxH: 23,6x23,6x10,3 cm		FB 3
FB3	Planning: Suitable for pull-out units from carcase width 40 cm and wall units with shelves. Suitable for H.30.BAHM, H.30.VEHM. Stackable to FB1, FB2 and FB3.		
	Flex-Box 4, natural oak carcase: d. 46/56/66 cm LxWxH: 29,9x11,8x10,3 cm	-	FB 4
FB4	Planning: Suitable for pull-out units from carcase width 30 cm. Suitable for H.40BAHM.		
	Flex-Box 5, natural oak carcase: d. 35/46/56/66 cm LxWxH: 23,6x23,6x5,3 cm]	FB 5
FB5	Planning: Suitable for drawers from carcase width 40 cm and wall units with shelves. Stackable to FB1, FB2 and FB3.		
	Flex-Box 6, natural oak carcase: d. 46/56/66 cm LxWxH: 30x11,8x5,3 cm		FB 6
FB6	Planning: Suitable for drawers from carcase width 30 cm and wall units with shelves. Stackable to FB4.		
	Flex-Box cutlery insert, natural oak carcase: d. 56 cm	-	FBB 1
	WxHxD: 30x5,3x47,2 cm Planning: Suitable for drawers from carcase width 40 cm. For combinations with Flex-Boxes.		
	Metal division for Flex-Boxes LxWxH: 22x15x8,9 cm	-	FBMT 1
FBMT	metal, carbon grey Planning: Suitable for FB1, FB2 and FB3.		
	Metal division for Flex-Boxes LxWxH: 10,2x10x8,9 cm		FBMT 2
	metal, carbon grey Planning: Suitable for FB4.		


Flex-Boxes | Drawers



Flex-Boxes | Pull-outs




Flex-Boxes | Pull-outs



Flex-Boxes | General



Panel system accessories



The recess system – everything close at hand! Whether knives, fresh herbs or spice jars – cooking utensils are perfectly placed wherever they are needed. The special tablet holder keeps your hands free when following a recipe. The panel system provides the opportunity to equip free spaces on the wall intelligently. A fresh touch is provided by the panel garden, a receptacle for herbs that can simply be hung in the intermediate profile of the recess profile. The optional LED lighting helps keep herbs fresh for longer and is particularly recommended in darker areas of the kitchen. The lighting is controlled by a timer that dispenses light for 14 hours – the perfect solution for urban gardeners.

Panel accessories

Accessories Stainless steel coloured or onyx black	Description	Width cm	Items
	Storage compartment for vinegar/oil, stainless steel coloured natural oak, plywood WxHxD: 20x30,5x12,2 cm internal measurement: WxHxD: 18,4x12,5x11,2 cm anti-slip mat, laminate carbon grey		PAFEO 20 EI
	Storage compartment for vinegar/oil, onyx black natural oak, plywood WxHxD: 20x30,5x12,2 cm internal measurement: WxHxD: 18,4x12,5x11,2 cm anti-slip mat, laminate carbon grey		PAFEO 20 EI OS
	Open shelf element stainless steel coloured natural oak, plywood WxHxD: 43x12,6x12,2 cm Planning: Suitable for china bowls, 4 pieces.		PRE 43 EI
	Open shelf element onyx black natural oak, plywood WxHxD: 43x12,6x12,2 cm		PRE 43 EI OS
	Level shelf, stainless steel coloured natural oak, plywood WxHxD: 43x3x12,2 cm shelf positioned at height of the intermediate profile Planning: Suitable for china bowls, 4 pieces.		PBG 43 EI
	Level shelf, onyx black natural oak, plywood WxHxD: 43x3x12,2 cm shelf positioned at height of the intermediate profile		PBG 43 EI OS
	Holder for letters and notes stainless steel coloured natural oak, plywood WxHxD: 25x16,7x7 cm holder can also be placed on the worktop		PHBN 25 EI
	Holder for letters and notes onyx black natural oak, plywood WxHxD: 25x16,7x7 cm holder can also be placed on the worktop		PHBN 25 EI OS
	Holder for 3 wine bottles stainless steel coloured shelves in natural oak, solid wood WxHxD: 40x34,7x10,4 cm Planning: Cannot be planned in combination with Emotion LED recess lighting PLDENZP and recess height of 48,1 cm.	40	PHW 3 40 EI
	Holder for 3 wine bottles onyx black shelves in natural oak, solid wood WxHxD: 40x34,7x10,4 cm	40	PHW 3 40 EI OS
	Hook set stainless steel coloured 3 hooks WxHxD: 1,5x5,5x1,2 cm		PHS
	Hook set onyx black 3 hooks WxHxD: 1,5x5,5x1,2 cm		PHS OS

Panel accessories

Accessories			
Stainless steel coloured or onyx black	Description	Width cm	Items
	Info board with rack and foil-wrapped writing surface stainless steel coloured WxHxD: 40x34,7x6,5 cm prominent surface is foilwrapped and can be written on, back panel suitable for magnets, storage box internal measurement: WxHxD: 19,9x27,6x6,1 cm Planning: Suitable for chalk pen. Cannot be planned in combination with Emotion LED recess lighting PLDENZP and recess height of 48,1 cm.	40	PIB 40
	Info board with rack and foil-wrapped writing surface onyx black WxHxD: 40x34,7x6,5 cm prominent surface is foilwrapped and can be written on, back panel suitable for magnets, storage box internal measurement: WxHxD: 19,9x27,6x6,1 cm	40	PIB 40 OS
	Holder for tablet computer stainless steel coloured WxHxD: 20x30,6x10,4 cm holder can also be placed on the worktop, individual positioning of the tablet computer with separately supplied felt strips		PHT 20
	Holder for tablet computer onyx black WxHxD: 20x30,6x10,4 cm holder can also be placed on the worktop, individual positioning of the tablet computer with separately supplied felt strips		PHT 20 OS
	Holder for kitchen roll stainless steel coloured WxHxD: 30x18,5x14,5 cm		PHKR 30
	Holder for kitchen roll onyx black WxHxD: 30x18,5x14,5 cm		PHKR 30 OS
	Kitchen roll dispenser for 2 rolls, stainless steel coloured WxHxD: 35x19,1x7,2 cm 2 bars with removable rubber caps for weighing down the roll, length 30,8 cm, Ø 1,4 cm	35	PFA 2 35
	Kitchen roll dispenser for 2 rolls, onyx black WxHxD: 35x19,1x7,2 cm 2 bars with removable rubber caps for weighing down the roll, length 30,8 cm, ø 1,4 cm	35	PFA 2 35 OS
	Hook rail with 6 hooks for cooking utensils stainless steel coloured WxHxD: 30x6,5x3,5 cm		PHL 30
	Hook rail with 6 hooks for cooking utensils onyx black WxHxD: 30x6,5x3,5 cm		PHL 30 OS

onyx black natural oak WXHXD: 30x34x6,5 cm Magnetic board for 6 knives or keys stainless steel coloured natural oak WXHXD: 30x12,5x4 cm Magnetic board for 6 knives or keys onyx black natural oak WXHXD: 30x12,5x4 cm PMB 6 Magnetic holder for 15 spice containers natural oak WXHXD: 18,4x30,6x1,5 cm magnets for holding the spice containers 16 spice containers included without spices with labels for spice containers Magnetic holder for 15 spice containers	
Augnetic holder for 15 spice containers Magnetic holder spice containers Magnetic holder spice containers Magnetic holder for holding the spice containers Magnetic holder for phical without spices with labels for spice containers Magnetic holder for 15 spice containers	30 EI
with Emotion LED recess lighting PLDENZP and recess height of 48;1 cm. Knife block for 6 knives on keys on keys on keys on keys on the knives of keys on the knives on keys on the knives of knives or knives of knives or knives on kn	
onyx black natural oak WXHXD: 30x34x6,5 cm Magnetic board for 6 knives or keys stainless steel coloured natural oak WXHXD: 30x12,5x4 cm Magnetic board for 6 knives or keys onyx black natural oak WXHXD: 30x12,5x4 cm Magnetic holder for 15 spice containers natural oak WXHXD: 18,4x30,6x1,5 cm magnets for holding the spice containers included without spices with labels for spice containers Magnetic holder for 15 spice containers Magnetic holder for 5 spice containers	
stainless steel coloured natural oak WXHXD: 30x12,5x4 cm Magnetic board for 6 knives or keys onyx black natural oak WXHXD: 30x12,5x4 cm Magnetic holder for 15 spice containers natural oak WXHXD: 18,4x30,6x1,5 cm magnets for holding the spice containers 16 spice containers 16 spice containers 16 spice containers without spices with labels for spice containers Magnetic holder for 15 spice containers	30 EI OS
onyx black natural oak WxHxD: 30x12,5x4 cm Magnetic holder for 15 spice containers natural oak WxHxD: 18,4x30,6x1,5 cm magnets for holding the spice containers 16 spice containers included without spices with labels for spice containers Magnetic holder for 15 spice containers	M 30 EI
for 15 spice containers natural oak WxHxD: 18,4x30,6x1,5 cm magnets for holding the spice containers 16 spice containers included without spices with labels for spice containers Magnetic holder for 15 spice containers	M 30 EI OS
for 15 spice containers	M 18 EI
stainless steel coloured WxHxD: 18,4x30,6x0,4 cm magnet panel in black for holding the spice containers 16 spice containers included without spices with labels for spice containers	M 18
Magnetic holder for 15 spice containers onyx black W×H×D: 18,4×30,6×0,4 cm magnet panel in black for holding the spice containers 16 spice containers included without spices with labels for spice containers	M 18 OS
Storage shelf for washing-up utensils, stainless steel coloured WxHxD: 25x19,1x10,4 cm 3 small cutouts for sponge 1 large cutout for tea towel surface for keeping other utensils	5
Storage shelf for washing-up utensils, onyx black WxHxD: 25x19,1x10,4 cm 3 small cutouts for sponge 1 large cutout for tea towel surface for keeping other utensils	5 OS

Accessories Stainless steel coloured or onyx black	Description	Width cm	Items
	Cup for cooking utensils stainless steel coloured WxHxD: 10,4x30,6x10,4 cm 1 china bowl, height 12,5 cm		PKK 10
	Cup for cooking utensils onyx black WxHxD: 10,4x30,6x10,4 cm 1 china bowl, height 12,5 cm		PKK 10 OS
	Storage shelf for vinegar/oil stainless steel coloured WxHxD: 20x30x10 cm		PAEO 20
	Storage shelf for vinegar/oil onyx black WxHxD: 20x30x10 cm		PAEO 20 OS
	Suspended shelf, stainless steel coloured WxHxD: 60x18x10 cm shelf positioned 18 cm below the intermediate profile Planning: Suitable for china bowls, 6 pieces.		PBA 60
	Suspended shelf, onyx black WxHxD: 60x18x10 cm shelf positioned 18 cm below the intermediate profile		PBA 60 OS
	Level shelf, stainless steel coloured WxHxD: 60x1x10 cm shelf positioned at height of the intermediate profile Planning: Suitable for china bowls, 6 pieces.		PBG 60
	Level shelf, onyx black WxHxD: 60x1x10 cm shelf positioned at height of the intermediate profile		PBG 60 OS
	Set of china bowls 4 pieces 2 small bowls, height 6 cm 2 medium-sized bowls, height 12,5 cm		CUPS -4
	Set of china bowls 6 pieces 4 small bowls, height 6 cm 2 medium-sized bowls, height 12,5 cm		CUPS -6

Accessories Stainless steel coloured or onyx black	Description	Width cm	Items
	Small china bowl height 6 cm WxD: 10,1x10,1 cm	10,1	Z CUPS 6
	Medium china bowl height 12,5 cm WxD: 10,1x10,1 cm	10,1	Z CUPS 12
	Large china bowl height 17,2 cm WxD: 10,1x10,1 cm	10,1	Z CUPS 17
	Recess open shelf unit carcase: h. 30 cm, d. 14,5 cm width 60 cm 1 fixed shelf Planning: Measurements cannot be changed. Order detail: Open shelf unit colour L1-Satin lacquer or L7-Matt velvet lacquer see overview of colours on page 52/53	60	PNR 60




tainless steel coloured or onyx black	Description	Width cm	Items
	Holder for planter with watering system stainless steel coloured WXHXD: 14,1x30,6x14,3 cm rack with insert and cross plate planter insert internal measurement: WXHXD: 13,6x11x13,6 cm 1 water tray 1 watering stick	14,1	PHPT 14
	Holder for planter with watering system onyx black WxHxD: 14,1x30,6x14,3 cm rack with insert and cross plate planter insert internal measurement: WxHxD: 13,6x11x13,6 cm 1 water tray 1 watering stick	14,1	PHPT 14 OS
	Panel garden without lighting stainless steel coloured WxHxD: 50x30,5x16,4 cm 1 panel garden container laminate onyx black WxHxD: 49x11,3x14,8 cm		PG 50
	Panel garden without lighting onyx black WxHxD: 50x30,5x16,4 cm 1 panel garden container laminate onyx black WxHxD: 49x11,3x14,8 cm		PG 50 OS
	Panel garden with lighting stainless steel coloured, 4,8W energy efficiency class E light col.temp. approx. 6000K lumens: 325 lm 1 converter 230V/12V/15W integrated timer, 14 hours on, 10 hours off 0,1 m cable connection with LED plug 1,8 m connection cable with LED jack/LED plug 2 m mains connection cable with Euro plug WxHxD: 50x44,2x16,4 cm 1 panel garden container, laminate onyx black WxHxD: 49x11,3x14,8 cm Planning: Can be planned in combination with Emotion LED recess lighting PLDENZP if the panel directly below the LED recess lighting is		PGB 50
	at least 37 cm high. Storage space for converter must be provided on site.		
nis product contains an energy efficiency ass E light source.	Panel garden with lighting onyx black, 4,8W energy efficiency class E light col.temp. approx. 6000K lumens: 325 lm 1 converter 230V/12V/15W integrated timer, 14 hours on, 10 hours off 0,1 m cable connection with LED plug 1,8 m connection cable with LED jack/LED plug 2 m mains connection cable with Euro plug WxHxD: 50x44,2x16,4 cm 1 panel garden container, laminate onyx black WxHxD: 49x11,3x14,8 cm		PGB 50 OS











Organisation down to the last detail. Where do you put your keys, tablet or newspaper? With the Orga Wall, the kitchen becomes a workstation – the centre of life! Integrated on the support side panels to save space, the system makes perfect use of free carcase areas. The filigree panel profiles can be easily fitted with various organisational elements such as key racks, tablet holders or newspaper holders and thus serve as everyday organisational aids. Thanks to the cable box and inductive charging station, it also allows the space-saving storage of digital end devices and functions as an integrated charging facility for smartphones, tablet and the like.

ccessories tainless steel coloured or onyx black	Description	Width cm	Items
	Open shelf element stainless steel coloured natural oak, plywood WxHxD: 43x12,6x12,2 cm Planning: Suitable for china bowls, 4 pieces.		PRE 43 EI
	Open shelf element onyx black natural oak, plywood WxHxD: 43x12,6x12,2 cm		PRE 43 EI OS
	Level shelf, stainless steel coloured natural oak, plywood WxHxD: 43x3x12,2 cm shelf positioned at height of the intermediate profile Planning: Suitable for china bowls, 4 pieces.		PBG 43 EI
	Level shelf, onyx black natural oak, plywood WxHxD: 43x3x12,2 cm shelf positioned at height of the intermediate profile		PBG 43 EI OS
	Set of china bowls 4 pieces 2 small bowls, height 6 cm 2 medium-sized bowls, height 12,5 cm		CUPS -4
	Holder for letters and notes stainless steel coloured natural oak, plywood WxHxD: 25x16,7x7 cm holder can also be placed on the worktop		PHBN 25 EI
	Holder for letters and notes onyx black natural oak, plywood WxHxD: 25x16,7x7 cm holder can also be placed on the worktop		PHBN 25 EI OS
	Small china bowl height 6 cm WxD: 10,1x10,1 cm	10,1	Z CUPS 6
	Medium china bowl height 12,5 cm WxD: 10,1x10,1 cm	10,1	Z CUPS 12
	Large china bowl height 17,2 cm WxD: 10,1x10,1 cm	10,1	Z CUPS 17
	Orga Wall holder for newspapers stainless steel coloured WxHxD: 49,5x20x16 cm		OW HZ
	Orga Wall holder for newspapers onyx black W×H×D: 49,5×20×16 cm		OW HZ OS

cessories ainless steel coloured or onyx black	Description	Width cm	Items
	Hook set stainless steel coloured 3 hooks WxHxD: 1,5x5,5x1,2 cm		PHS
	Hook set onyx black 3 hooks WxHxD: 1,5x5,5x1,2 cm		PHS OS
	Magnetic board for 6 knives or keys stainless steel coloured natural oak WxHxD: 30x12,5x4 cm		PMB 6 M 30 EI
	Magnetic board for 6 knives or keys onyx black natural oak WxHxD: 30x12,5x4 cm		PMB 6 M 30 EI OS
	Orga Wall level shelf stainless steel coloured WxHxD: 49,5x3,5x17 cm		OW BG 50
	Orga Wall level shelf onyx black WxHxD: 49,5x3,5x17 cm		OW BG 50 OS
	Orga Wall cable box with lid, mottled anthracite moulded nonwoven WxHxD: 24,7x11,5x16 cm with cutout at rear, WxH: 17,5x6,8 cm 1 lid, WxHxD: 24,7x0,8x16 cm with cutout at rear, WxD: 6x2 cm		OW KB D FV
	Orga Wall inductive charging station lid mottled anthracite moulded nonwoven wireless charging of mobile phones, 1 inductive charging coil, output voltage 5V 600mA WxHxD: 24,7x1,7x16 cm 2 m connection cable LED plug 1 LED converter 230V/12V/15W HxWxL: 1,6x4,5x13 cm 3 LED jacks 0,3 m mains connection cable with Euro plug Planning: Can be upgraded with an additional OWILS inductive charging coil.		OW IL FV
	Orga Wall inductive charging coil black, additional requirement wireless charging of mobile phones output voltage 5V 600mA Ø 7,2 cm, depth 1,1 cm 2 m connection cable LED plug Planning: For sec. recharging capability with OWILFV.		OW ILS

Stainless steel coloured or onyx black	Description	Width cm	Items
	Info board with rack and foil-wrapped writing surface stainless steel coloured WxHxD: 40x34,7x6,5 cm prominent surface is foilwrapped and can be written on, back panel suitable for magnets, storage box internal measurement: WxHxD: 19,9x27,6x6,1 cm Planning: Suitable for chalk pen.	40	PIB 40
	Info board with rack and foil-wrapped writing surface onyx black WxHxD: 40x34,7x6,5 cm prominent surface is foilwrapped and can be written on, back panel suitable for magnets, storage box internal measurement: WxHxD: 19,9x27,6x6,1 cm	40	PIB 40 OS
	Orga Wall accessory set 3 stainless steel coloured 1 holder for tablet computer 1 holder for newspapers 1 hook rail with 6 hooks 1 hook set 1 picture frame/whiteboard 1 inductive charging station		OW A SET
	Orga Wall accessory set 3 onyx black 1 holder for tablet computer 1 holder for newspapers 1 hook rail with 6 hooks 1 hook set 1 picture frame/whiteboard 1 inductive charging station		OW A SET OS
	Orga Wall accessory set 4 stainless steel coloured 1 holder for newspapers 1 hook rail with 6 hooks 1 hook set 1 level shelf 1 picture frame/whiteboard		OW A SET 2
	Orga Wall accessory set 4 onyx black 1 holder for newspapers 1 hook rail with 6 hooks 1 hook set 1 level shelf 1 picture frame/whiteboard		OW A SET 2 OS

Frame Rack accessories





The Frame Rack aluminium open shelf unit system is ideal for customised planning: whether as a shelf for a tall unit, a base unit with plinth, a top unit or a recess, the Frame Rack stands out thanks to its wide range of individual planning options. For example, various organisational elements for an assortment of cooking utensils and aids can be inserted under the shelves. The advantages are plain to see: not only do the work surfaces remain clear but everything is also within easy reach.

Frame Rack accessories

Accessories				
Onyx black	Description	W	idth cm	Items
	Holder for kitchen roll onyx black WxHxD: 30x18,1x12,3 cm Planning: For installation at the bottom side of the shelf, pay attention to possible recess height. Available from 34 cm width.		30	Z F HKR 30 OS
	Hook rail with 4 hooks for cooking utensils onyx black WxHxD: 22,5x4,8x6,3 cm Planning: For installation at the bottom side of the shelf, pay attention to possible recess height.	\	22,5	Z F HL 22 OS
	Magnetic knife block for 6 knives onyx black natural oak WxHxD: 30x20,3x3,9 cm Planning: For installation at the bottom side of the shelf, pay attention to possible recess height. Available from 34 cm width.		30	Z F MB 6 M 30 EI OS
	Magnetic holder for 15 spice containers natural oak WxHxD: 18,4x30,9x1,4 cm, depth incl. spice containers: 6,9 cm magnet panel in black for holding the spice containers 16 spice containers included without spices with labels for spice containers Planning: For installation at the bottom side of the shelf, pay attention to possible recess height.		18,4	Z F HG 15 M 18 EI
	Magnetic holder for 15 spice containers onyx black WxHxD: 18,4x30,3x0,6 cm, depth incl. spice containers: 5,9 cm magnet panel in black for holding the spice containers 16 spice containers included without spices with labels for spice containers Planning: For installation at the bottom side of the shelf, pay attention to possible recess height.		18,4	Z F HG 15 M 18 OS
	Storage shelf for vinegar/oil onyx black WxHxD: 20x30,3x10,1 cm Planning: For installation at the bottom side of the shelf, pay attention to possible recess height.	₩	20	Z F AEO 20 OS
	Glass holder for 4 stemmed glasses onyx black WxHxD: 48x4,5x9,8 cm felt mat as glass protector max. diameter glass base/glass bowl: 11,5 cm Planning: For installation at the bottom side of the shelf, pay attention to possible recess height. Available from 52 cm width. Height of holder plus height of stemmed glasses.	\	48	Z F GH 48 OS









Shelves not only create storage space, they also add an interesting design feature to the kitchen – a nice alternative to wall units! Decorative items can take centre stage and storage space is attractively created on the shelves. This beautiful and unusual alternative helps to loosen up the overall appearance of the cooking and living area and gives the kitchen an individual look. The range of different colours and materials makes it possible to both implement homogeneous designs and create support panel top shelves in contrasting colours as strikingly eye-catching features.

ength 25 to 260 cm / Depth 25 cm	Description		Width cm	Items
	Support panel shelf 1,6 cm with 2 shelf supports ZBT-10 length 25-60 cm, d. 25 cm load capacity 12 kg	piece	25 - 60	WB 16 60 25
25	Support panel shelf 1,6 cm with 2 shelf supports ZBT-10 length 60,1-120 cm, d. 25 cm load capacity 12 kg	piece	60,1 - 120	WB 16 120 25
	Support panel shelf 1,6 cm with 3 shelf supports ZBT-10 length 120,1-180 cm, d. 25 cm load capacity 18 kg	piece	120,1 - 180	WB 16 180 25
	Support panel shelf 1,6 cm with 4 shelf supports ZBT-10 length 180,1-260 cm, d. 25 cm load capacity 24 kg	piece	180,1 - 260	WB 16 260 25
Support panel shelf 2,5 cm with shelf supports ZSB / ZSB2				
ength 25 to 260 cm / Depth 17,5 / 25 cm	Description		Width cm	Items
	Support panel shelf 2,5 cm with 2 concealed shelf supports ZSB length 25-60 cm, d. 17,5 cm load capacity 12 kg	piece	25 - 60	WB 25 60 17 -S
17,5	Support panel shelf 2,5 cm with 3 concealed shelf supports ZSB length 60,1-120 cm, d. 17,5 cm load capacity 12 kg	piece	60,1 - 120	WB 25 120 17 -S
	Support panel shelf 2,5 cm with 4 concealed shelf supports ZSB length 120,1-180 cm, d. 17,5 cm load capacity 18 kg	piece	120,1 - 180	WB 25 180 17 -S
	Support panel shelf 2,5 cm with 5 concealed shelf supports ZSB length 180,1-260 cm, d. 17,5 cm load capacity 24 kg	piece	180,1 - 260	WB 25 260 17 -S
	Support panel shelf 2,5 cm with 2 concealed shelf supports ZSB2 length 25-60 cm, d. 25 cm load capacity 12 kg	piece	25 - 60	WB 25 60 25 -S
	Planning: Shelf fixing not suitable for gypsum, fibre reinforced plasterboards and cavity walls			
25	Support panel shelf 2,5 cm with 2 concealed shelf supports ZSB2 length 60,1-120 cm, d. 25 cm load capacity 12 kg	piece	60,1 - 120	WB 25 120 25 -S
	Support panel shelf 2,5 cm with 3 concealed shelf supports ZSB2 length 120,1-180 cm, d. 25 cm load capacity 18 kg	piece	120,1 - 180	WB 25 180 25 -S
	Support panel shelf 2,5 cm with 4 concealed shelf supports ZSB2 length 180,1-260 cm, d. 25 cm load capacity 24 kg	piece	180,1 - 260	WB 25 260 25 -S

ength 25 to 260 cm / Depth 25 cm	Description		Width cm	Items
	Support panel shelf 2,5 cm with 2 shelf supports ZBT-10 length 25-60 cm, d. 25 cm load capacity 12 kg	piece	25 - 60	WB 25 60 25
25	Support panel shelf 2,5 cm with 2 shelf supports ZBT-10 length 60,1-120 cm, d. 25 cm load capacity 12 kg	piece	60,1 - 120	WB 25 120 25
,	Support panel shelf 2,5 cm with 3 shelf supports ZBT-10 length 120,1-180 cm, d. 25 cm load capacity 18 kg	piece	120,1 - 180	WB 25 180 25
	Support panel shelf 2,5 cm with 4 shelf supports ZBT-10 length 180,1-260 cm, d. 25 cm load capacity 24 kg	piece	180,1 - 260	WB 25 260 25
Support panel shelves 6 cm with helf supports ZBT-10 / ZSB2				
ength 25 to 260 cm / Depth 17,5 cm	Description		Width cm	Items
	Support panel shelf 6 cm with 2 shelf supports ZBT-10 length 25-60 cm, d. 17,5 cm load capacity 12 kg	piece	25 - 60	WB 60 60 18
17,5	Support panel shelf 6 cm with 2 shelf supports ZBT-10 length 60,1-120 cm, d. 17,5 cm load capacity 12 kg	piece	60,1 - 120	WB 60 120 18
	Support panel shelf 6 cm with 3 shelf supports ZBT-10 length 120,1-180 cm, d. 17,5 cm load capacity 18 kg	piece	120,1 - 180	WB 60 180 18
	Support panel shelf 6 cm with 4 shelf supports ZBT-10 length 180,1-260 cm, d. 17,5 cm load capacity 24 kg	piece	180,1 - 260	WB 60 260 18
	Support panel shelf 6 cm with 2 concealed shelf supports ZSB2 length 25-60 cm, d. 17,5 cm load capacity 12 kg	piece	25 - 60	WB 60 60 17 -S
	Planning: Shelf fixing not suitable for gypsum, fibre reinforced plasterboards and cavity walls			
17,5	Support panel shelf 6 cm with 2 concealed shelf supports ZSB2 length 60,1-120 cm, d. 17,5 cm load capacity 12 kg	piece	60,1 - 120	WB 60 120 17 -S
	Support panel shelf 6 cm with 3 concealed shelf supports ZSB2 length 120,1-180 cm, d. 17,5 cm load capacity 18 kg	piece	120,1 - 180	WB 60 180 17 -S
	Support panel shelf 6 cm with 4 concealed shelf supports ZSB2 length 180,1-260 cm, d. 17,5 cm load capacity 24 kg	piece	180,1 - 260	WB 60 260 17 -S

Support panel shelf 6 cm with 2 shelf supports 28T-10 length 29-80 cm, d. 25 cm load capacity 12 kg	
2 shelf supports ZBT-10 length 60,1-120 cm, d. 25 cm load capacity 12 kg Support panel shelf 6 cm with 3 shelf supports ZBT-10 length 120,1-180 cm, d. 25 cm load capacity 18 kg Support panel shelf 6 cm with 4 shelf supports ZBT-10 length 180,1-260 cm, d. 25 cm load capacity 24 kg Support panel shelf 6 cm with 2 concealed shelf supports ZSB2 length 25-60 cm, d. 25 cm load capacity 12 kg Planning: Shelf fixing not suitable for gypsum, fibre reinforced plasterboards and cavity walls. Support panel shelf 6 cm with 2 concealed shelf supports ZSB2 length 60,1-120 cm, d. 25 cm load capacity 12 kg Support panel shelf 6 cm with 3 concealed shelf supports ZSB2 length 60,1-120 cm, d. 25 cm load capacity 12 kg Support panel shelf 6 cm with 3 concealed shelf supports ZSB2 length 120,1-180 cm, d. 25 cm load capacity 18 kg Support panel shelf 6 cm with 3 concealed shelf supports ZSB2 length 120,1-180 cm, d. 25 cm load capacity 18 kg Support panel shelf 6 cm with 4 concealed shelf supports ZSB2 length 120,1-180 cm, d. 25 cm load capacity 18 kg	
3 shelf supports ZBT-10 length 120,1-180 cm, d. 25 cm load capacity 18 kg Support panel shelf 6 cm with 4 shelf supports ZBT-10 length 180,1-260 cm, d. 25 cm load capacity 24 kg Support panel shelf 6 cm with 2 concealed shelf supports ZSB2 length 25-60 cm, d. 25 cm load capacity 12 kg Planning: Shelf fixing not suitable for gypsum, fibre reinforced plasterboards and cavity walls. Support panel shelf 6 cm with 2 concealed shelf supports ZSB2 length 60,1-120 cm, d. 25 cm load capacity 12 kg Support panel shelf 6 cm with 3 concealed shelf supports ZSB2 length 120,1-180 cm, d. 25 cm load capacity 18 kg Support panel shelf 6 cm with 4 concealed shelf supports ZSB2 length 120,1-180 cm, d. 25 cm load capacity 18 kg Support panel shelf 6 cm with 4 concealed shelf supports ZSB2 length 120,1-260 cm, d. 25 cm	5
4 shelf supports ZBT-10 length 180,1-260 cm, d. 25 cm load capacity 24 kg Support panel shelf 6 cm with 2 concealed shelf supports ZSB2 length 25-60 cm, d. 25 cm load capacity 12 kg Planning: Shelf fixing not suitable for gypsum, fibre reinforced plasterboards and cavity walls. Support panel shelf 6 cm with 2 concealed shelf supports ZSB2 length 60,1-120 cm, d. 25 cm load capacity 12 kg Support panel shelf 6 cm with 3 concealed shelf supports ZSB2 length 120,1-180 cm, d. 25 cm load capacity 18 kg Support panel shelf 6 cm with 4 concealed shelf supports ZSB2 length 120,1-260 cm, d. 25 cm load capacity 18 kg Support panel shelf 6 cm with 4 concealed shelf supports ZSB2 length 180,1-260 cm, d. 25 cm	5
2 concealed shelf supports ZSB2 length 25-60 cm, d. 25 cm load capacity 12 kg Planning: Shelf fixing not suitable for gypsum, fibre reinforced plasterboards and cavity walls. Support panel shelf 6 cm with 2 concealed shelf supports ZSB2 length 60,1-120 cm, d. 25 cm load capacity 12 kg Support panel shelf 6 cm with 3 concealed shelf supports ZSB2 length 120,1-180 cm, d. 25 cm load capacity 18 kg Support panel shelf 6 cm with 4 concealed shelf supports ZSB2 length 180,1-260 cm, d. 25 cm	5
fibre reinforced plasterboards and cavity walls. Support panel shelf 6 cm with 2 concealed shelf supports ZSB2 length 60,1-120 cm, d. 25 cm load capacity 12 kg Support panel shelf 6 cm with 3 concealed shelf supports ZSB2 length 120,1-180 cm, d. 25 cm load capacity 18 kg Support panel shelf 6 cm with 4 concealed shelf supports ZSB2 length 180,1-260 cm, d. 25 cm	-S
2 concealed shelf supports ZSB2 length 60,1-120 cm, d. 25 cm load capacity 12 kg Support panel shelf 6 cm with 3 concealed shelf supports ZSB2 length 120,1-180 cm, d. 25 cm load capacity 18 kg Support panel shelf 6 cm with 4 concealed shelf supports ZSB2 length 180,1-260 cm, d. 25 cm WB 60 180 29 WB 60 260 2	
3 concealed shelf supports ZSB2 length 120,1-180 cm, d. 25 cm load capacity 18 kg Support panel shelf 6 cm with 4 concealed shelf supports ZSB2 length 180,1-260 cm, d. 25 cm WB 60 260 2	5 -S
4 concealed shelf supports ZSB2 length 180,1-260 cm, d. 25 cm	5 -S
	5 -S

Order details support panel colour

K1 – Laminate	K032 Natural wild oak effect K047 Aurora oak effect K090 Crystal white K095 Seashell white K100S White K120 Crystal grey K135S Magnolia	K185 Onyx black K190 Lava black K205 Pebble grey K210 Sand grey K275 Agate grey K820 Sand oak effect
U1 – Design laminate	K007 Shell limestone graphite effect K008 Shell limestone grey brown effect K017 Basalt graphite effect K020 Slate sand effect K023 Concrete quartz grey effect K025 Concrete white grey effect K028 Concrete anthracite effect K033 Travertine sand effect K040 Luna beige K041 Arizona pine effect K042 Alvaro slate effect K046 Ash Nordic effect K048 Patagonia oak effect K049 Corten Oxide effect K050 Skagen oak effect K055 Marble Arezzo effect	K061 Marble Vena effect K063 Sandstone beige effect K064 Summer oak effect K066 Oak cognac brown effect K068 Bergamo walnut effect K072 Taj Mahal effect K075 Terra taupe K081 Pinara light grey effect K530 Marble Avorio effect K585 Steel dark effect K755 Victoria walnut effect K775 Nebraska oak effect K778 Grooved look natural oak effect K779 Grooved look dark oak effect K830 Oak siena effect
K6 – Laminate synchronised pore	K653 Old oak provence syn. pore effect K823 Sand oak synchronised pore effect	K833 Oak siena synchronised pore effect
K7 – Laminate matt lacquered AFP	L092X Crystal white AFP L097X Seashell white AFP L102X white AFP L122X Crystal grey AFP L187X Onyx black matt AFP L192X Lava black matt AFP L207X Pebble grey matt velvet AFP L212X Sand grey high gloss AFP	L277X Agate grey AFP L297X Steel blue AFP L317X Eucalyptus green AFP L322X Orient red AFP L427X Cashmere brown matt velvet AFP L537X Sepia brown matt velvet AFP L552X Deep blue AFP
K2 – Laminate high gloss	K091 Crystal white high gloss K096 Seashell white high gloss K111G Brilliant white high gloss	K206 Pebble grey high gloss K211 Sand grey high gloss
L5 – UV high gloss lacquer	L091U Crystal white high gloss L096U Seashell white high gloss L111U Brilliant white high gloss	L206U Pebble grey high gloss L211U Sand grey high gloss
L4 – High gloss lacquer (Not available: support panel shelves 6 cm)	L091 Crystal white high gloss L096 Seashell white high gloss L111G Brilliant white high gloss	L206 Pebble grey high gloss L211 Sand grey high gloss
L8 – UV matt lacquer structure	L772U Oak onyx black effect AFP	
L7 - Matt velvet lacquer L M matt velvet AFP L1 - Satin lacquer L satin L1P - SSatin lacquer, pore L P satin, pore	L092M / L090 / L090P Crystal white L097M / L095 / L095P Seashell white L102M / L100S / L100P White L122M / L120 / L120P Crystal grey L137M / L135S / L135P Magnolia L187M / L185 / L185P Onyx black L192M / L190 / L190P Lava black	L292M / L290 / L290P Indian red L297M / L295 / L295P Steel blue L307M / L305 / L305P Autumn red L362M / L360 / L360P Blue grey L397M / L395 / L395P Olive yellow L427M / L425 / L425P Cashmere brown L442M / L440 / L440P Forest green

Order details support panel colour





Technical equipment



Thanks to flawless technology, the kitchen becomes a favourite room. Filigree, dimmable LED-based pendant luminaires bring an emotional touch to the kitchen. Seamlessly height-adjustable, they serve faithfully above both the cooking island and the dining table – a nice option that adds an atmospheric feel to the room. Thanks to an intelligent control system, the light colour of the Emotion LED luminaire can be adjusted continuously from warm white to neutral white, making it adaptable to different situations.

Technical equipment

Emotion LED lights	Description		Width cm	Items
3,25 	LED pendant light brightness adjustable, ZigBee-capable energy efficiency class E light col. temp.: 2700K to 4000K, lumens: 2300 lm pendant light in stainless steel coloured, infinitely height-adjustable, with integrated converter, control unit for adjusting light colour and brightness, LED 230V/22W HxWxD: 20-250x120x2,3 cm 1 wireless remote control, 4 channels Planning: Connection for 230V continuous current to be provided in ceiling on site. Light switch not essential. The pendant light can be synchronised with other Emotion LED lights using Emotion LED upgrade set ZLDEF60SET.	&	120	LLE PD 120
Zigbee certified product This product contains an energy efficiency class E light source.	LED pendant light, brightness adjustable, ZigBee-capable, energy efficiency class E lumens: 3100 lm, LED 230V/30W HxWxD: 20-250x160x2,3 cm 1 wireless remote control, 4 channels	&	160	LLE PD 160
3,25 	LED pendant light brightness adjustable, ZigBee-capable energy efficiency class E light col. temp.: 2700K to 4000K, lumens: 2300 lm pendant light in onyx black, infinitely height-adjustable, with integrated converter, control unit for adjusting light colour and brightness, LED 230V/22W HxWxD: 20-250x120x2,3 cm 1 wireless remote control, 4 channels Planning: Connection for 230 V continuous current to be provided in ceiling on site. Light switch not essential. The pendant light can be synchronised with other Emotion LED lights using Emotion LED upgrade set ZLDEF60SET.	&	120	LLE PD 120 OS
Zigbee certified product This product contains an energy efficiency class E light source.	LED pendant light, brightness adjustable, ZigBee-capable, energy efficiency class E lumens: 3100 lm , LED 230V/30W HxWxD: 20-250x160x2,3 cm 1 wireless remote control, 4 channels	&	160	LLE PD 160 OS
zigbee certified product	Emotion LED starter set for adjust. LED lights 2700-4000K, ZigBee-capable 1 control unit with 9-way distributor for adjusting light colour and brightness 1 wireless remote control, 6 channels 1 converter 230V/12V/60W 2 m mains connection cable w. Euro flat plug Planning: Up to 6 channels can be individually controlled. Up to 30 converters can be programmed per channel. An additional ZLDEF60SET upgrade set is required for channels 2-6. Integration into a smart home requires a proper functioning Wi-Fi system and a ZigBee hub/bridge (at least 3.0), e.g. from Philips Hue.			Z LDE S 60 SET
zigbee certified product	Emotion LED upgrade set for adjust. LED lights 2700-4000K, ZigBee-capable 1 control unit with 9-way distributor for adjusting light colour and brightness 1 converter 230V/12V/60W 2 m mains connection cable with Euro flat plug Planning: Control system can be synchronized via starter set ZLDES60SET.	&		Z LDE F 60 SET
	LED extension cable 1,8 m cable LED jack/plug		180	Z LDVK -1

More than just a kitchen: the utility room



⋈ KEY FACT

Whether a room in the cellar or next to the living area, the utility room is a functional place equipped for everything that a household needs. Wash, iron, store and recycle in a well-organised, ergonomic space. The specially-designed units for the washing machine, for sorting laundry and for storing cleaning appliances, supplies and shoes allow you to perfectly manage your home.

The utility room

Base Cabinet Shelf with Laundry Holder & Multifunctional Top Shelf with Pull-Out Trav

The all-in-one laundry cabinet combines smart features in a compact space: the multifunctional top shelf with pull-out tray and clothes rail allows for easy sorting, airing, or folding of freshly washed laundry. Additionally, the base cabinet shelf with extendable laundry holder provides practical space for drying.



Pull-Out Base Cabinet with Dual Laundry Sorting

The practical laundry sorter features two 42-liter compartments in a space-saving base cabinet. It not only keeps dirty laundry out of sight, but also makes it easier to pre-sort by color or washing temperature—helping speed up the laundry process.



Open End Shelf

The open tall cabinet end shelf provides space for an ironing board, broom, and vacuum cleaner. Thanks to the hook rail and optional power strip, everything is stored within easy reach, well ventilated, and ready to charge.





Tall Cabinet Shelf for Washing Machine with Laundry Basket Tray

Ergonomic laundry care: With the washing machine or dryer positioned at a back-friendly height and the convenient pull-out laundry basket tray, doing laundry becomes quick and easy.



Laundry Preparation Tall Cabinet for Ironing Board and Drying Rack

The laundry preparation tall cabinet keeps the ironing board, iron, and accessories not only compactly stored, but also easily accessible and ready for use—bringing more clarity and less clutter to your laundry routine.



Lock for Cleaning Supplies Cabinet

Whether it's cleaning agents, plant fertilizer, or confidential documents—the cylinder lock for cabinets, drawers, or pullouts ensures that everything meant to be kept out of reach stays securely locked away.

More than just a kitchen: the pantry



⋈ KEY FACT

Groceries, kitchen aids, preserves and beverages – all these things should be stored in a manner that is as space-saving, ergonomic and clearly organised as possible, ideally where they do not impair the overall appearance of the living space: in the pantry. With intelligent and extremely versatile system elements as the basis, you can design the pantry in line with your requirements – with open shelves for a clear view or practical pull-outs for everything that is best hidden away.

The pantry

Cleverly concealed thanks to the access door

A practical solution for those who want to bring a sense of calm into the room. The access door elegantly blocks the view into the pantry and, when closed, looks like a tall unit. As a result, it blends harmoniously into the overall picture. Thanks to the Tip-On technology, the access door can be opened easily, even when you have your hands full.



Tall unit for bottle crates

Convenient and clear storage: by installing shelves at an angle, several bottle crates can be stored in a space-saving way depending on the unit height, and the bottles can be easily removed one by one.





Natural oak wooden crates

Genuine eye-catchers that offer optimal storage capacity for food that does not need to be refrigerated.



Practical pull-outs

The practical pull-outs keep your pantry looking neat and tidy while also enabling you to make full use of the available storage space, right to the very back.



Pull-out base unit with recycling pocket for a recyclable waste bag

We have the ideal solution to answer the question: "Where does the rubbish go?". Simply insert our pull-out base unit – with practical Tip-On technology for when you don't have a free hand.

More than just a kitchen: the wardrobe



⋈ KEY FACT

Come on in and make yourself at home: this warm invitation should be conveyed directly in the entrance area and harmoniously complement the overall appearance of the open space. That is why we see the wardrobe as a welcoming piece of furniture and offer various planning options. Whether closed cupboard elements for clothes, mirrored doors or open units, thanks to this versatility, the entrance area can be individually designed and combines maximum storage space with functionality.


More than just a kitchen: the working space



⋈ KEY FACT


Relocating the office to the home requires solution-oriented thinking. Consequently, the task at hand is to utilise the available space optimally. For instance, work materials disappear into the wall units with practical folding flaps and into the base units and pull-outs, which can be provided with Tip-On or even extravagant leather handles. The stylish integration of a light into the Frame Racks or wall units positioned above perfectly illuminates the work area.

More than just a kitchen: wall combinations





More than just a kitchen: sideboards





More than just a kitchen: The mobile occasional table



⋈ KEY FACT

Whether for serving, as an extension to the work surface or as a bar: the mobile occasional table with its soft, lockable castors is always welcome in the kitchen. With its timeless look, a structural steel frame in elegant onyx black and customisable table top and shelf, this small, versatile piece of furniture adapts to different home living situations and needs. When it is not needed, it can be folded up and stored away to save space.



Schüller Möbelwerk GmbF Rother Straße 1

Germany

Tel +49 (0) 9825 83-0

Fax +49 (0) 9825 83-121

info@schueller.de

www.schuellerde